

# DOMESTIC



# RANBUILD

Better sheds. Bigger choice.



AUSTRALIAN STEEL INSTITUTE  
FOUNDATION MEMBER - STEEL SHED GROUP



## 1300 RANBUILD

For the complete range of Ranbuild products visit

[www.ranbuild.com.au](http://www.ranbuild.com.au)

# The Ranbuild Domestic Range.

If you're looking for storage for your vehicle or boat, a secure place for your tools, or even some extra space for living, the Ranbuild Domestic range has just what you need.

It's hard to find a more versatile, durable and economical building than a Ranbuild garage, carport or shed. With over 55 years experience in the steel shed industry, Ranbuild designs are of the highest quality.

## Versatile

Modular systems mean that you can design a building that fits with your home and has all the features you need. Choose your span, then combine standard, wide or open bays, access doors, windows, skylights and more. Make a colour choice with COLORBOND® or ZINCALUME® steel cladding and you'll have a building that perfectly complements the surrounds.

## Durable

Ranbuild buildings are manufactured from the finest grade Australian made steel products, for added strength and durability. Framing and cladding are guaranteed by BlueScope Steel for up to 15 years (conditions apply). All designs are fully engineered in accordance with the Standards Association of Australian building codes and are supplied with documentation to simplify building approval.

## Economical

All buildings come in kit form, complete down to the last washer. The galvanised components are pre-formed to give you optimum value for money. You can choose whether to assemble your building yourself and save, or your Dealer can help organise an experienced construction team to erect your building. Check with your local regulatory body for licensing requirements.



Your home is a valuable asset and any additions should enhance its appearance and functionality. A quality Ranbuild design will stand the test, now and into the future. Talk to your local Ranbuild Man today.



## DELUXE



## RANBUILD 'DELUXE' RANGE Superior Strength and Durability

After years of design and testing, Ranbuild has developed this extremely robust and durable design. The 'Deluxe' has been engineered to the last detail for added strength and rigidity and is quality from the ground up. The fully bolted frame and clear span design is strong enough to withstand the toughest conditions.

## SUPER



## RANBUILD 'SUPER' RANGE The Economical Option

For the budget conscious, you can't go past the Ranbuild 'Super' range. It features a simple screw-together galvanised steel frame for easy construction without compromising on strength. You can customise your design to function as a garage, carport, storage shed or workshop making it a quality addition to your home.

## PREMIUM



## PREMIUM RANGE Cost Effective

Both practical and affordable this building ticks all the boxes. It features both bolted and screwed galvanised steel frame and connections for easy construction. Multiple hold down connection options gives you flexibility ideal for a domestic garage or work shop.

## CARPORTS



## CARPORTS Strong and Durable

Choose from gable or flat roof models, freestanding or attached to your garage. Ranbuild carports are made from galvanised steel and engineered to withstand most weather conditions. The extra strength and rigidity allows for longer spans, greater heights and wider spaces.

# What makes a Ranbuild shed better?

Ranbuild sheds are better not just because they look great and can be designed to suit you; they're also fully engineered for durability and strength. Here's some of the features that make a Ranbuild shed top quality.



- 1

Ranbuild kits come complete down to the last washer. The galvanised steel components simply bolt together for easy self-assembly. The result is a long lasting, low maintenance structure that's also cost effective.
- 2

Columns are stiffened and anchored to the concrete foundation with unique galvanised cast-in base plates.
- 3

Modular systems mean that you can add a window, door, workbench or skylight to build in the functionality you need.
- 4

Choose a roof pitch to create an appealing profile and suit the weather conditions in your region. Insulation as seen is an optional extra.
- 5

Choose cladding from the extensive range of durable and attractive COLORBOND® or ZINCALUME® steel. Framing and cladding materials are guaranteed by BlueScope Steel for up to 15 years (conditions apply).
- 6

In 'Deluxe' buildings, the preformed steel apex and knee plates are designed to be securely fastened with high tensile steel bolts. In the 'Super' designs, components simply screw together. This means there's no need for welding.
- 7

Designs are rated for winds up to 55m/s and kits come complete with diagonal wind bracing where required.




# SPECIFICATIONS

|                        | DELUXE SERIES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | SUPER SERIES                                                                           | PREMIUM SERIES                                                                                                                                              | RDS CARPORTS                                                      |
|------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| Spans                  | Any span from 2.36m to 12.24m                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Any span from 2.52m to 9.24m                                                           | Any span up to 9.29m                                                                                                                                        | Any span from 2.36m to 9.0m                                       |
| Length                 | Any length from 2.5m upwards                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Any length from 2.5m to 20m                                                            | Any length upwards from 2.5m                                                                                                                                | Any length from 2.36m to 99m                                      |
| Height                 | Any height from 2.2m to 4.2m                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Any height from 1.95m to 3.2m                                                          | Any height up to 3m                                                                                                                                         | Any height from 2.2m to 3.6m                                      |
| Roof                   | Clear span gable<br>10, 15, 20 or 27.5 degrees pitch                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Braced gable<br>10, 15 or 20 degrees pitch                                             | 10 degree only                                                                                                                                              | Gable: 10 degrees<br>Skillion: 3 degrees<br>Cantilever: 3 degrees |
| Bays                   | Up to 4.1m, open or enclosed<br>Any number                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Up to 3.78m enclosed, any number<br>Up to 3m open bays,<br>attached only, maximum of 2 | Up to 3.81m enclosed only                                                                                                                                   | Any size from 2.36m to 9.0m                                       |
| Awnings & Annexes      | From 3.0m to 6.0m                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Awnings only out to 3.0m                                                               | Awnings only out to 4.0m                                                                                                                                    | N/A                                                               |
| Roller Doors           | Up to 3.6m wide in side walls<br>Up to 5m wide in end walls                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Up to 3m wide in side walls<br>Up to 5m wide in end walls                              |                                                                                                                                                             |                                                                   |
| Cladding               | Genuine ZINCALUME® or COLORBOND® coated steel<br>Choice of 20 colours, most available in 2 thicknesses<br>Long life class 3 cladding fasteners                                                                                                                                                                                                                                                                                                                                                                                |                                                                                        |                                                                                                                                                             |                                                                   |
| Construction Materials | Galvanised steel C section mainframe<br>60mm deep profile purlins and girts<br>Preformed steel apex and knee plates, heavy duty steel cast-in base plates<br>Zinc plated steel to steel nuts and bolts<br>Custom formed barge flashings<br>Models for 41, 47 or 55m/s wind speed areas                                                                                                                                                                                                                                        |                                                                                        |                                                                                                                                                             |                                                                   |
| Optional Extras        | Commercial grade rectangular gutter<br>Large matching rectangular downpipes<br>Door heights up to 300mm less than wall height<br>Steel framed personal access doors or fire exit doors<br>Aluminium framed sliding glass windows<br>Framed openings for sliding glass doors<br>Fibreglass reinforced skylights<br>Full height partition and dividing walls<br>Rigid wall-mounted steel workbench<br>Air ventilators for roof or wall<br>Foil backed roof and wall insulation<br>Experienced concreting and construction teams |                                                                                        | Commercial grade rectangular gutter<br>Large matching downpipes<br>Note that Deluxe Carports<br>have the same specifications and options as Deluxe Garages. |                                                                   |
| Documentation          | Comprehensive 60 page construction manual<br>Full slab and foot drawings<br>Architectural drawings for council submission                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                        |                                                                                                                                                             |                                                                   |
| Warranty               | Framing and cladding materials guaranteed by BlueScope Steel for up to 15 years (conditions apply)                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                        |                                                                                                                                                             |                                                                   |
| Delivery               | Australia wide                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                        | Region A only                                                                                                                                               | Australia wide                                                    |



'Deluxe' Clear Span Gable Design



'Super' Braced Gable Design



Premium Series

All dimensions are nominal. Some limitations apply to the above specifications in high wind speed and cyclonic areas.

With these options,  
you can design the perfect  
building for your needs.



5.S3.8xL5.6xH2.4



6.S6xL15xH2.7

### Pick a Number

Choose any number of vehicle bays from one to 100, in any combination of closed, open or partially open.



7.S7xL19.9xH3.2



12.S6xL19xH2.7

### Heritage Deluxe

Give your Deluxe building some heritage style by choosing a roof pitch of 27.5 degrees. This is also a useful option if you're building in an area that receives snowfall.

### A Place to Park it

Create a carport, either free standing or as an extension to an enclosed garage. Choose from a gable or flat roof.



8.S6xL6xH2.4



9.S6xL12xH3



13.S7xL19xH2.4

### Something Shady


Add an awning down the length of the building or extend the roof at the end of your garage to create a shaded area.



14.S6xL12xH2.7

### One of a Kind

With an extensive list of options, such as windows, personal doors, skylights, ventilators and workbenches, you can create a building to suit your needs.



15.S12xL12xH3.2



16.S6xL18xH3

### Any Side, Any Size

You can position vehicle doors in the side or end walls, or both. Make them extra wide or extra high to accommodate your 4WD, boat or caravan.



10.S6xL12xH2.4



11.S7xL7.6xH2.4



### Colour Your World

Mix and match the colours of your trim and cladding with COLORBOND® steel to perfectly complement the surrounds.

Visit your local Dealer's display site to see many of these options fully constructed. Your local Ranbuild Man can help you to make the choices that will best suit you and to finalise your design. If you have any special requests, just ask and your Ranbuild Man will be happy to investigate the possibilities.

# Compare the best with the rest.

Ranbuild is a foundation member of the Steel Shed Group so you can be assured that all designs are of the highest quality and comply with Australian Standards and safety regulations. They are subjected to rigorous testing and are manufactured using only quality materials. Ranbuild has over 55 years experience in the steel shed industry so you'll know that your Ranbuild shed will not only look good, but is able to withstand some of the toughest conditions.

Ranbuild sheds are available through a nationwide network of independent Dealers. Your local Ranbuild Man can assist you with design choice, building approval and organise the construction of your shed if required.

|   |                                                                                              |
|---|----------------------------------------------------------------------------------------------|
| ✓ | Designed in accordance with the Standards Association of Australia building codes            |
| ✓ | Up to 15 years BlueScope Steel warranty on framing and cladding materials (conditions apply) |
| ✓ | Connection components rigorously tested for strength and quality                             |
| ✓ | All steel construction to resist termite, hail and fire damage                               |
| ✓ | Framing components galvanised for long life and low maintenance                              |
| ✓ | Vertical wall cladding to reduce upkeep and maintain appearance                              |
| ✓ | Modular system allows scope and flexibility in design and application                        |
| ✓ | Choice of multiple roof pitches to match your building type                                  |
| ✓ | Designs and materials to suit environments ranging from the snow fields to cyclonic regions  |
| ✓ | Engineering documentation provided for building approval application                         |
| ✓ | Full size gutters and downpipes to collect valuable rain water                               |
| ✓ | Factory packed kits shipped complete with no hidden extras                                   |
| ✓ | Option to assemble yourself or allow your local Dealer to organise construction              |
| ✓ | Computer generated concrete footing layouts and slab details                                 |
| ✓ | Comprehensive construction manuals with over 60 pages of instructions                        |
| ✓ | Free quotations, site inspections and building approval assistance                           |
| ✓ | Australia-wide display and sales centres through a network of independent Dealers            |
| ✓ | Local, interstate and International delivery and shipping service                            |



Copyright 2007 Lysaght Building Solutions Pty Ltd. The material used in this publication remains the property of Lysaght Building Solutions Pty Ltd and may not be reproduced in any way without written permission. The company reserves the right to change and/or update details and/or specifics without notice.

COLORBOND® and ZINCALUME® are registered trademarks of BlueScope Steel Limited.

For the complete range of Ranbuild products visit

**[www.ranbuild.com.au](http://www.ranbuild.com.au)**

**Contact your local independent Ranbuild Dealer:**  
**1300 RANBUILD**