



art
hanging
systems

STATE OF THE ART HANGING SYSTEMS

PRODUCT CATALOGUE

▶ WALL SYSTEMS


FLEXIBLE
SAFE
STRONG





CLICK RAIL // UNIVERSITY OF TILBURG (NL)

CLICK RAIL



30
KG/M

10
YEAR
WARRANTY



CLICK



CONNECT

The Click Rail is a flexible picture hanging system that you mount to the wall. Using the Click&Connect system, mounting the rail system is fast and easy. The Click Rail may be installed flush against the ceiling and may also be repainted, for example in the same colour as the wall or ceiling. This helps the picture hanging system 'blend in' with the wall or ceiling, making it nearly invisible. The hanging rail's appearance makes it easy to integrate in any room or interior. You always have flexibility in hanging posters, pictures or photo frames thanks to the hanging wires with hooks that you can click into any desired location on the rail system.

RAIL						
	CLICK RAIL - WHITE RAL 9010		CLICK RAIL - WHITE/PRIMER RAL 9016		CLICK RAIL - ALU BRUSHED	
	P/1*	P/20*	P/1*	P/20*	P/1*	P/20*
ARTICLE NO. 200 cm	9.4303	9.4353	9.4348	9.4350	9.4341	9.4340
ARTICLE NO. 300 cm	9.4304	9.4354	9.4349	9.4351	9.4343	9.4342
ARTICLE NO. 600 cm	9.4372		9.4346		9.4339	
	FASTENER KIT WHITE		FASTENER KIT WHITE		FASTENER KIT GREY	
ARTICLE NO. 200 cm	4065		4065		4064	
ARTICLE NO. 300 cm	4061		4061		4060	





installation movie

CONTENT FASTENER KIT				QUANTITY 200 cm	QUANTITY 300 cm
9.4113	CLICK&CONNECT	6x		9x	
9.4929	SCREW	6x		9x	
9.4930	PLUG	6x		9x	
9.4105 (WHITE) / 9.4104 (GREY)	END CAP	2x		2x	
9.4107 (WHITE) / 9.4108 (GREY)	CORNER CONNECTOR	1x		1x	
2386	INSTRUCTION	1x		1x	

ALL MOUNTING MATERIAL MAY BE ORDERED SEPARATELY. SEE OVERVIEW ON PAGE 25

* P/1 PACKAGED BY THE PIECE IN FOIL / P/20 PACKAGED PER 20 IN FOIL

CLICK RAIL PRO



50
KG/M

10
YEAR
WARRANTY




The Click Rail Pro hanging system is the professional, heavy-duty version of the Click Rail. The rail is quick and easy to install thanks to the Click&Connect clips, and can be mounted on the wall, flush against the ceiling. It is possible to mount the rail in such a way that the sliders for the hanging wire may be subtly hidden behind the rail. The Click Rail Pro picture hanging system has a maximum load capacity of 50 kg/m. Hanging heavy pictures and wall decorations is no problem with the Click Rail Pro. Click Rail Pro is a strong picture hanging system that you can trust when it comes to hanging your art on the wall. The hanging wires may be moved and clicked into the rail again at any desired location. This assures you of flexibility in what you display on your walls. Moving or replacing a work of art is fast and easy, and there's no risk of damaging the walls.

RAIL		
		
CLICK RAIL PRO - WHITE/PRIMER RAL 9016		CLICK RAIL - ALU BRUSHED
ARTICLE NO. 200 cm	05.05420	05.05320
ARTICLE NO. 300 cm	05.05430	05.05330
FASTENER KIT WHITE		FASTENER KIT GREY
ARTICLE NO. 200 cm	4067	4066
ARTICLE NO. 300 cm	4074	4073



installation
movie

CONTENT FASTENER KIT				
		QUANTITY 200 cm	QUANTITY 300 cm	
	9.4124	CLICK&CONNECT	6x	9x
	9.4929	SCREW	6x	9x
	9.4930	PLUG	6x	9x
	9.4120 (WHITE) / 9.4121 (GREY)	END CAP	2x	2x
	9.4122 (WHITE) / 9.4123 (GREY)	CONNECTOR	1x	1x
	2387	INSTRUCTION	1x	1x

ALL MOUNTING MATERIAL MAY BE ORDERED SEPERATELY. SEE OVERVIEW ON PAGE 25

HANGING WIRES AND HOOKS

1

SIMPLE-SAFE-STRONG



Artiteq developed the Twister glider system for all its hanging rails. Twister offers the most logical and user-friendly way to hook the hanging wire into the rail: insert, twist, click and you're done. Since the Twister may be clicked anywhere on the rail, you can hang a picture anywhere you like on the wall. You have the option of using Twister in perlon, steel wire or rods for all the Artiteq hanging systems. The perlon and steel hanging wires with the Twister mechanism are available in 1 or 2 mm thicknesses, and in lengths ranging from 100 to 500 cm.




Twister is a European Registered Community Design.

MAX.
20 KG

2

TWISTER™ CLIQ2FIX_{perlon}



EXTRA EASE-OF-USE

Thanks to the development of the Twister Cliq2Fix perlon system, perlon cord now has an additional functionality when it comes to hanging pictures. The hanging wire equipped with the Twister Cliq2Fix system may be inserted in the rail, eliminating the risk of the perlon cord popping loose from the rail as a result of its recoiling effect. This makes it extra safe, and easy to slide into the rail. In other words, extra ease-of-use.

MAX.
20 KG

3

SOLID SLIDER



SLIDE INTO SIDE

Artiteq developed the Solid Slider system which attaches the hanging wire with glider via the side of the rail. This system is available for 2 mm perlon and 2 mm steel wire. The hanging wire may be freely slid into the hanging rail, yet may not be removed from the rail as easily. Hanging wires with the Solid Slider

mechanism are available in lengths of 100, 150, 200, 250, 300 en 500 cm. A slanted stop system is available for slanted walls. This system makes it possible to use a flexible picture hanging system even with slanted walls, for example in a staircase.

MAX.
20 KG

MICRO GRIP



PROVEN TECHNOLOGY

REDUCED TO THE ESSENCE

NEW DESIGN

- LIGHTWEIGHT
- STRONG (20 kg)
- ERGONOMIC



The **Micro Grip** represents the newest generation of hooks. A high-quality plastic reinforced with fibreglass was chosen for this hook, leading to a 70% reduction in the use of materials compared with previous generations of hooks. In addition to the ecological advantages, the hook is extremely lightweight as a result, and very easy to use. The **Micro Grip** technology has been developed and patented by Artiteq. To guarantee the quality of the Micro Grip hooks, Artiteq has developed quality assurance procedures together with TÜV Nederland. The execution is under supervision of TÜV Nederland.



MICRO GRIP 1 mm

MICRO GRIP 2 mm

MICRO GRIP LOCK 2 mm

1 mm

TWISTER 1 mm

1



TWISTER™

30.21150	TWISTER	1 mm	PERLON	150 cm
30.22150	TWISTER	1 mm	STEEL	150 cm
30.21200	TWISTER	1 mm	PERLON	200 cm
30.22200	TWISTER	1 mm	STEEL	200 cm
30.21300	TWISTER	1 mm	PERLON	300 cm
30.22300	TWISTER	1 mm	STEEL	300 cm



MICRO GRIP 1 mm
30.41100 | 10 kg (STEEL) 5 kg (PERLON)

2 mm

TWISTER 2 mm



TWISTER™

09.23100	TWISTER	2 mm	PERLON	100 cm
09.33100	TWISTER	2 mm	STEEL	100 cm
9.4196	TWISTER	2 mm	ROD WHITE	100 cm
09.23150	TWISTER	2 mm	PERLON	150 cm
09.33150	TWISTER	2 mm	STEEL	150 cm
09.23200	TWISTER	2 mm	PERLON	200 cm
09.33200	TWISTER	2 mm	STEEL	200 cm
9.4198	TWISTER	2 mm	ROD WHITE	200 cm
09.23250	TWISTER	2 mm	PERLON	250 cm
09.33250	TWISTER	2 mm	STEEL	250 cm
09.23300	TWISTER	2 mm	PERLON	300 cm
09.33300	TWISTER	2 mm	STEEL	300 cm
09.23500	TWISTER	2 mm	PERLON	500 cm
09.33500	TWISTER	2 mm	STEEL	500 cm



MICRO GRIP 2 mm
30.41200 | 20 kg



MICRO GRIP LOCK 2 mm
30.41250 | 20 kg

2 mm

TWISTER CLIQ2FIX PERLON

2



09.13100	TWISTER CLIQ2FIX	2 mm	PERLON	100 cm
09.13150	TWISTER CLIQ2FIX	2 mm	PERLON	150 cm
09.13200	TWISTER CLIQ2FIX	2 mm	PERLON	200 cm
09.13250	TWISTER CLIQ2FIX	2 mm	PERLON	250 cm
09.13300	TWISTER CLIQ2FIX	2 mm	PERLON	300 cm



MICRO GRIP 2 mm
30.41200 | 20 kg



MICRO GRIP LOCK 2 mm
30.41250 | 20 kg

2 mm

SOLID SLIDER

3




08.23100	SOLID SLIDER	2 mm	PERLON	100 cm
08.43100	SOLID SLIDER	2 mm	STEEL	100 cm
08.23150	SOLID SLIDER	2 mm	PERLON	150 cm
08.43150	SOLID SLIDER	2 mm	STEEL	150 cm
08.23200	SOLID SLIDER	2 mm	PERLON	200 cm
08.43200	SOLID SLIDER	2 mm	STEEL	200 cm
08.23250	SOLID SLIDER	2 mm	PERLON	250 cm
08.43250	SOLID SLIDER	2 mm	STEEL	250 cm
08.23300	SOLID SLIDER	2 mm	PERLON	300 cm
08.43300	SOLID SLIDER	2 mm	STEEL	300 cm
08.23500	SOLID SLIDER	2 mm	PERLON	500 cm
08.43500	SOLID SLIDER	2 mm	STEEL	500 cm



MICRO GRIP 2 mm
30.41200 | 20 kg



MICRO GRIP LOCK 2 mm
30.41250 | 20 kg





► CEILING SYSTEMS





TOP RAIL // PRIMARY SCHOOL DEN BONGERD (NL)

COMPACT
DESIGN
HIGH END

TOP RAIL







20

KG/M

10

YEAR WARRANTY



The flexible picture hanging system Top Rail is mounted to the ceiling. This ceiling rail that is discreet in its dimensions is an ideal hanging system to use in combination with recessed ceilings. By mounting the ceiling rail to the wooden side strip of a recessed ceiling, the rail 'disappears' into the ceiling. This 'invisible' picture hanging system then offers a flexible way to hang, change and replace pictures and wall decorations throughout the entire room. The Top Rail is also suitable for mounting directly onto concrete ceilings.

RAIL



TOP RAIL - WHITE RAL 9003

TOP RAIL - ALU ANODISED

TOP RAIL - BLACK ANODISED

	TOP RAIL - WHITE RAL 9003		TOP RAIL - ALU ANODISED		TOP RAIL - BLACK ANODISED		
	P/1*	P/10*	P/1*	P/10*	P/1*	P/10*	
ARTICLE NO. 200 cm	9.4309	9.4326	9.4313		9.4378	9.4323	
ARTICLE NO. 300 cm	9.4310	9.4327	9.4314		9.4379	9.4324	
ARTICLE NO. 600 cm	-	9.4362	-		-	9.4367	
		FASTENER KIT WHITE		FASTENER KIT GREY		FASTENER KIT BLACK	
ARTICLE NO. 200 cm		4070		4069		4068	
ARTICLE NO. 300 cm		4077		4076		4075	



installation movie



FASTENER KIT

	QUANTITY 200 cm	QUANTITY 300 cm
SCREW	16x	24x
PLUG	16x	24x
INSTRUCTION	1x	1x

ALL MOUNTING MATERIALS MAY BE ORDERED SEPERATELY - 8 SCREWS /m

* P/1 PACKAGED BY THE PIECE IN FOIL / P/10 PACKAGED PER 10 IN FOIL



COMPACT
SAFE
FLEXIBLE

ART STRIP / CEILING STRIP

ART STRIP



CEILING STRIP



SHADOWLINE

SHADOWLINE DRYWALL (FIXATION DRYWALL)



SHADOWLINE MASONRY (FIXATION STONE WALLS)



ART STRIP



<p>50 KG/M</p>
<p>10 YEAR WARRANTY</p>

Hanging rail integrated in side strip - suitable for recessed ceilings using a side strip

The Art Strip is the picture hanging system that may be hidden in a recessed ceiling. It replaces the side strip which is used for the installation of recessed ceilings. During a tear-down phase or renovation work, the Art Strip can be installed at the same time as the recessed ceiling. The corner profile for the recessed ceiling is then mounted to the Art Strip. When you mount the Art Strip during the installation of recessed ceilings, you will have a picture hanging system available throughout the entire space, giving you a flexible way to decorate the walls. The Twister hanging cords may be clicked into any desired location in the rail next to the recessed ceiling.

RAIL



ART STRIP - WHITE
RAL 9010

ART STRIP - BLACK

ARTICLE NO. 300 cm

05.08310

05.07310



CEILING STRIP



50
KG/M

10
YEAR
WARRANTY

Hanging rail integrated in corner profile - suitable for recessed ceilings that don't use a side strip

When recessed ceilings are installed during a building project without side strips, then the Ceiling Strip offers many benefits. The Ceiling Strip replaces the corner profile used in recessed ceilings, and at the same time, creates a completely invisible picture hanging system. When this ceiling system is installed, the only element that is visible is a discreet shadow line along the edge of the recessed ceiling where the flexible picture hanging system is hidden. This shadow line can also camouflage any imperfections in the wall, such as those masked by a side strip. Thanks to the integration of the corner bracket and hanging system, the Twister gliders on the hanging cord also disappear completely into the ceiling: the hanging system is fully integrated and not visible.

RAIL



CEILING STRIP - WHITE
RAL 9010

ARTICLE NO. 300 cm

05.08320

FASTENER MATERIAL

FISHER UX 5X30 R UNIVERSAL PLUG 5 mm	9.4931
SCREW 3,5 mm X 45 mm	9.4929
SCREW METAL STUD 3,5 mm X 38 mm	9.4928
4 SCREWS PER m	



installation
movie

CEILING SYSTEMS - INTEGRATED (IN COMBINATION WITH DRYWALL)

SHADOWLINE

DRYWALL - FIXATION DRYWALL



20
KG/M

10
YEAR
WARRANTY

Hanging rail for plasterboard ceilings and walls (drywall)

The Shadowline rail - drywall enables the placement of an invisible picture hanging system between plasterboard walls and ceiling panels. A discreet shadow line is the only element that appears between the wall and ceiling, and this is where the flexible picture hanging system is hidden. It is possible to install a hanging cord in the rail, anywhere you like in the room. Since the rail itself isn't visible, the hanging cords are suspended directly from the ceiling. If you choose the transparent perlon hanging cords for the rail, you will have the most discreet picture hanging system at your disposal. Using the Shadowline ceiling system means you will always have a guarantee of smooth, clean walls, and the flexibility to decorate them any way you like, without the need for tools.

RAIL



SHADOWLINE DRYWALL
RAL 9016

ARTICLE NO. 250 cm

05.08410

FASTENER MATERIAL

FISHER UX 5X30 R UNIVERSAL PLUG 5 mm	9.4931
SCREW 3,5 mm X 45 mm	9.4929



CEILING SYSTEMS - INTEGRATED (IN COMBINATION WITH DRY WALL)

SHADOWLINE

MASONRY - FIXATION STONE WALLS



Hanging rail for plasterboard ceilings and masonry walls

The Shadowline rail - masonry offers the same advantages as the plasterboard version, yet has been specially designed for use with masonry walls. The Shadowline rail is installed on a masonry wall during the building or renovation phase. The Shadowline profile disappears completely in the shadow line next to the ceiling panels, yet still offers all the advantages of a flexible hanging system: undamaged, clean walls and the flexibility to quickly and easily hang paintings and other wall decorations and move them around as desired.

RAIL



SHADOWLINE MASONRY
RAL 9016

ARTICLE NO. 250 cm

05.08400

FASTENER MATERIAL



FISHER UX 5X30 R UNIVERSAL PLUG 5 mm 9.4931

SCREW 3,5 mm X 45 mm 9.4929



installation
movie

DECO RAIL



20
KG/M

10
YEAR
WARRANTY




Flexible options for smooth walls with Deco Rail

The Deco Rail is a hanging rail for pictures and wall decorations that is mounted behind a cornice. The hanging system becomes invisible as a result, while still offering all the advantages of a flexible hanging system. Walls with a clean, smooth finish remain undamaged, even though it is still possible to hang and move paintings continually. Hanging wires may be clicked into the rail behind the cornice at any desired location. This is the major benefit of the Deco Rail; flexibility and a guarantee for a high-quality finish. There are many different styles of cornice rails, and this hanging rail can be installed behind every type. The Deco Rail is available in combination with a selection of three different types of cornices: Basic, Modern and Classic.

RAIL/CORNICE MOULDINGS

			
DECO RAIL - WHITE/PRIMER RAL 9016	CX 110 BASIC	CX 126 MODERN	CX 213 CLASSIC
ARTICLE NO. 200 cm	05.75100	05.75110	05.75126
			05.75213

FASTENER MATERIAL

			
80 ml (for 40 m)	310 ml (for 7,8 m)	PLUG FISHER UX 5X30 R UNIVERSAL 5 mm	SCREW 3,5 X 45 mm
FX210 GLUE	FDP500 GLUE		
FOR CONNECTING JOINTS	WALL AND CEILING		
ARTICLE NO.	1015	1016	9.4931
			9.4929



FLEXIBLE
DESIGN
HIGH END

HANGING WIRES AND HOOKS

1

SIMPLE-SAFE-STRONG



Artiteq developed the Twister glider system for all its hanging rails. Twister offers the most logical and user-friendly way to hook the hanging wire into the rail: insert, twist, click and you're done. Since the Twister may be clicked anywhere on the rail, you can hang a picture anywhere you like on the wall. You have the option of using Twister in perlon, steel wire or rods for all the Artiteq hanging systems. The perlon and steel hanging wires with the Twister mechanism are available in 1 or 2 mm thicknesses, and in lengths ranging from 100 to 500 cm.




Twister is a European Registered Community Design.

MAX.
20 KG

2

TWISTER™ CLIQ2FIX_{perlon}



EXTRA EASE-OF-USE

Thanks to the development of the Twister Cliq2Fix perlon system, perlon cord now has an additional functionality when it comes to hanging pictures. The hanging wire equipped with the Twister Cliq2Fix system may be inserted in the rail, eliminating the risk of the perlon cord popping loose from the rail as a result of its recoiling effect. This makes it extra safe, and easy to slide into the rail. In other words, extra ease-of-use.

MAX.
20 KG

MICRO GRIP



PROVEN TECHNOLOGY

REDUCED TO THE ESSENCE

NEW DESIGN

- LIGHTWEIGHT
- STRONG (20 kg)
- ERGONOMIC




The **Micro Grip** represents the newest generation of hooks. A high-quality plastic reinforced with fibreglass was chosen for this hook, leading to a 70% reduction in the use of materials compared with previous generations of hooks. In addition to the ecological advantages, the hook is extremely lightweight as a result, and very easy to use. The **Micro Grip** technology has been developed and patented by Artiteq. To guarantee the quality of the Micro Grip hooks, Artiteq has developed quality assurance procedures together with TÜV Nederland. The execution is under supervision of TÜV Nederland.



MICRO GRIP 1 mm

MICRO GRIP 2 mm

MICRO GRIP LOCK 2 mm



1 mm

TWISTER 1 mm

1



30.21150	TWISTER	1 mm	PERLON	150 cm
30.22150	TWISTER	1 mm	STEEL	150 cm
30.21200	TWISTER	1 mm	PERLON	200 cm
30.22200	TWISTER	1 mm	STEEL	200 cm
30.21300	TWISTER	1 mm	PERLON	300 cm
30.22300	TWISTER	1 mm	STEEL	300 cm



MICRO GRIP 1 mm
30.41100 | 10 kg (STEEL) 5 kg (PERLON)

TWISTER™

2 mm

TWISTER 2 mm



09.23100	TWISTER	2 mm	PERLON	100 cm
09.33100	TWISTER	2 mm	STEEL	100 cm
9.4196	TWISTER	2 mm	ROD WHITE	100 cm
09.23150	TWISTER	2 mm	PERLON	150 cm
09.33150	TWISTER	2 mm	STEEL	150 cm
09.23200	TWISTER	2 mm	PERLON	200 cm
09.33200	TWISTER	2 mm	STEEL	200 cm
9.4198	TWISTER	2 mm	ROD WHITE	200 cm
09.23250	TWISTER	2 mm	PERLON	250 cm
09.33250	TWISTER	2 mm	STEEL	250 cm
09.23300	TWISTER	2 mm	PERLON	300 cm
09.33300	TWISTER	2 mm	STEEL	300 cm
09.23500	TWISTER	2 mm	PERLON	500 cm
09.33500	TWISTER	2 mm	STEEL	500 cm



MICRO GRIP 2 mm
30.41200 | 20 kg



MICRO GRIP LOCK 2 mm
30.41250 | 20 kg

TWISTER™

2 mm

TWISTER CLIQ2FIX PERLON

2



09.13100	TWISTER CLIQ2FIX	2 mm	PERLON	100 cm
09.13150	TWISTER CLIQ2FIX	2 mm	PERLON	150 cm
09.13200	TWISTER CLIQ2FIX	2 mm	PERLON	200 cm
09.13250	TWISTER CLIQ2FIX	2 mm	PERLON	250 cm
09.13300	TWISTER CLIQ2FIX	2 mm	PERLON	300 cm



MICRO GRIP 2 mm
30.41200 | 20 kg



MICRO GRIP LOCK 2 mm
30.41250 | 20 kg

ART HANGING SYSTEMS

9 Rich St

Marrickville NSW 2204

AUSTRALIA

T 1800 278 426

info@arthangingsystems.com.au

WWW.ARTHANGINGSYSTEMS.COM.AU

